
file	1-7	25 ~
P	B-21	O SO Waine
Portland,	Assessment 19	Maine
Name		
Owner Mille	r Harry	
Street Chapel		N&-11
Block 27 F		Lot 15/
Use of Bldg	Rooning hous	Name
Tenants and Room		15
Rentals 65	or month	
1.	years .	
Age	64	
Condition of Rep	air Tair	
Class	Exterior	Plumbing
Bungalow Single House Two family	Clapboards C	Common Individual
Two family Three family	Siding Shingles Stucco	Open Set tubs
Apartment	Paper	Finish
Store Building Office "	Tapestry Brick Com. Brick	Plain Hardwood
Factory " Storage "	Stone	Halls
Stables	Terra Cotta	Wood Terrazzo
Garage, private Garage, public	Concrete	Marble
Club House	Heating Stove	Roof - Roofing
Cottage	Furnace Hot Water	Shingle Slate
Foundation Brick	Steam Steam	Gravel Prepared
Stone Concrete	Light	Asbestos Flat
Concrete Pile	COil	Hip
Basement	Gas Electric	Gable Dormers
Full Cement Floor Waterproof	Floor	Windows
Waterproof	Common	Plain Glass Wire Glass
Construction	Re-Concrete Concrete Slab Waterproof	Shutters Miscellaneous
Frame Brick Tile	Waterproof	Elevator
Tile Blocks	Ceiling	Sprinkler Fire Escape
	Plaster	Refrigerator Vacuum Cleaner
Stucco	Metal	
Stucco Re-Concrete Mill	Metal Panelled	Safes and Vaults
Stucco Re-Concrete	Metal Panelled Rough	Vacuum Cleaner Safes and Vaults Telephone Equip. Height 1.4
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. 41. Utility Dep.	Metal Panelled Rough	Height 4 12 Unit Lets
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, S	Height 14 2 Lets 19 Vis 2619 Vis Alley
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet	Metal Panelled Rough 1,299 Sg. Ft. 2,919 O. Per cent. Sound Value, Sound Value, Depth	Height 14 2 Lets 19 Vis 2619 Vis Alley
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, S	Height 14 12 Unit 0 cts 12 12 12 12 12 12 12 12 12 12 12 12 12
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet	Metal Panelled Rough 1,299 Sg. Ft. 2,919 O. Per cent. Sound Value, Sound Value, Depth	Height 14 2 Lets 19 Vis 2619 Vis Alley
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet	Metal Panelled Rough 1,299 Sg. Ft. 2,919 O. Per cent. Sound Value, Sound Value, Depth	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet	Metal Panelled Rough 1,299 Sg. Ft. 1,919 On Per cent. Sound Value, Scorner Into Computation	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep Dep Land. 2505 Front Area	Metal Panelled Rough 1,299 Sg. Ft. 1,919 On Per cent. Sound Value, Scorner Into Computation	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet Utility Dep Dep Land. 2505. C Front	Metal Panelled Rough 1, 2, 9, 9, 8, Ft. 1, 9, 1, 9 On Per cent. Sound Value, 5 Corner Interpretation	Height 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet	Metal Panelled Rough 1,299 Sg. Ft. 9,19 Per cent. Sound Value, Sorner	Height 14. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. 4.4 Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 9,919 Per cent. Sound Value, Service Interpretation Multiplier 1,29	Height 14 12 Unit Control of the State of th
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. 4.4 Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner Interpretation Multiplier 1,29 Coefficient 3,23	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep	Metal Panelled Rough 1,299 Sg. Fr. 1,919 Per cent. Sound Value, Scorner	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep. Dep. Land. 2505. C Front Area 2505 Year Unit 19 . 18	Metal Panelled Rough 1,299 Sg. Ft. 9,919 Per cent. Sound Value, Sorner	Height 14 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep Dep	Metal Panelled Rough 1,299 Sg. Ft. 1,919 Per cent. Sound Value, Scorner	Height 14 12 Unit Coefficient Coefficient Land Value 575
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep. Dep. S Land. 2505. C Front Unit 19 . 19	Metal Panelled Rough 1,299 Sg. Ft. 9,919 Per cent. Sound Value, Scorner	Height 4 2 Unit
Stucco Re-Concrete Mill Steel Frame Ground Area Cubic Feet. H. Utility Dep. Dep. S Land. 2505. C Front Unit 19 . 19	Metal Panelled Rough 1,299 Sg. Ft. 9,119 Per cent. Sound Value, Scorner	Height 14 12 Unit Coefficient Coefficient Land Value 575



www.mainememory.net 1 of 2

1924 Portland Tax Records: 9-11 Chapel Street, Portland, 1924



Owner: Harry Miller

Address: 9-11 Chapel Street, Bayside, Portland, Maine

Use: Apartments

Local Code: Block 27E Lot 15 Book 13 Page 1

MMN item number: 36713

www.mainememory.net 2 of 2